TRONIX

Christmas & Tree Lighting catalogue 2015/2016

See page 82 for the advantages of LED

TRONIX LIGHTING

the quality brand in LED lighting

In 1963 Ben van Dijk - founder and CEO of Tronix - started building his expertise in the world of electronics and lighting with dedication, commitment and tremendous enthusiasm. Now surrounded by a young team of specialists who share the same drive, Tronix Lighting has grown into a significant player in the market of commercial en decorative LED lighting solutions. Tronix products meet the highest quality standards: in technology and design as wel as in light distribution and intensity. Quality is what we stand for.

IMPRESSIVE PRODUCT RANGE

With an impressive range of over 2,000 products, Tronix Lighting BV offers amazing choice. From small LED modules to parking and street lights: Tronix is your address for indoor and outdoor lighting solutions. A team of specialists work continuously and with enormous drive on the development of new and innovative LED lighting solutions, answering to ever changing customer needs with the right products at the right time. Listening to our customers and investing in durable, long-term relationships with prominent and reliable manufacturers, make us hold position in a rapidly growing and competitive market. This enables us to keep distinguishing ourselves with high quality and innovative products.

IMMEDIATE DELIVERY

The head office of Tronix Lighting BV is located in Uden in the South of the Netherlands. Working closely together with our key suppliers, sharing expertise and maintaining high levels of communication, Tronix can practice a fair amount of control on production and logistics. As an importer of LED lighting products from the Far East since 1990, we offer immediate delivery for 90% of our products, all available from stock in our own warehouse in the Netherlands. An order placed before noon will be shipped the very same day!

EXCELLENT PRICE/QUALITY RATIO

Tronix Lighting products are sold throughout Europe, America and the Middle East. With key values such as reliability, high level customer service, and a no nonsense approach, Tronix has developed into a prominent global market player, offering the biggest product choice at marketsharp pricing. We offer a suitable and affordable answer to every lighting related question and will proudly continue to do so.

TRONIX LIGHTING BV

Office
Vluchtoord 41
5406 XP Uden
The Netherlands

Postal
Postbus 205
5400 AE Uden
The Netherlands

Tel: +31 (0) 413 330380
Fax: +31 (0) 413 330385
E-mail: sales@tronix.nl
website: www.tronixlighting.com

Tronix uses different connector types:

Stripped wire

Schuko grounded
CEE 7/7

Schuko ungrounded
CEE 7/17

Euro plug
CEE 7/16

UK plug
BS 1363

Swiss plug
SEV 1011

Contents

ROPE LIGHT		6
MODULAR LIGHTING CONNECTION SYSTEM		21
CORD LIGHT PROFESSIONAL		29
TREE LIGHT 24V & 230V		39
PEAK LIGHT		41
CORD LIGHT		45
CORD LIGHT MODULAR 24V		48
CASCADE LIGHT		51
WEB LIGHT		52
ROUND NET LIGHT		54
SNOW BAR LIGHT + MOTIFS		55
CHASY LIGHT		59
CLUSTER LIGHT		61
BASIC LINE		62
CANDLE LIGHTS		66
FLOWER LIGHTS		70
FLAT CABLE & BELT LIGHT		72
LAMPS (FOR BELT LIGHT)		75
CONE TREES		81

TRONIX ROPE LIGHT

Rope Light is designed for decorative lighting purposes and makes a perfect outlining tool. It is an easy and cost-effective solution for a broad range of applications: from small accent lighting tasks to eye-catching party and event lighting effects.

Tronix Rope Light is available in LED or incandescent, low and high voltage, 2 or 3 wire rope and offers a wide range of style and colors. LED rope light is just as bright as incandescent rope light, but uses two-thirds less energy and offers a large choice in colors. Tronix Rope Light includes a power cable and is equipped with a clear PVC tubing.

CONTROLLERS AND ACCESSORIES

Our wide selection of Rope Light accessories stands for custom-made solutions and a wide range of installation possibilities. 2 or 3 wire controllers are available to create flash or chase light.

Note: All 12 and 24 volt rope lights require a transformer

LED ROPE LIGHT 12V WHITE

15 meter roll

Ordercode: 045-001
Color: White
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 5

LED ROPE LIGHT 12V WARM WHITE

15 meter roll

Ordercode: 045-008
Color: Warm White
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 5

LED ROPE LIGHT 12V BLUE

15 meter roll

Ordercode: 045-002
Color: Blue
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPE LIGHT 12V GREEN

15 meter roll

Ordercode: 045-003
Color: Green
Input: 12V DC
Power: 2,9 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 8,3cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 5



LED ROPE LIGHT 12V RED

15 meter roll

Ordercode: 045-004
Color: Red
Input: 12V DC
Power: 1,7 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 5

Rope Light

LED ROPE LIGHT 12V YELLOW

15 meter roll

Ordercode: 045-005
Color: Yellow
Input: 12V DC
Power: 1,7 Watt/meter

Length: 15 meter
Max. length: 15 meter
Diameter: 13mm
Cutting length: 14cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 5

LED ROPE LIGHT 24V WHITE

30 meter roll

Ordercode: 050-001
Color: White
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 24V WARM WHITE

30 meter roll

Ordercode: 050-008
Color: Warm White
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 24V BLUE

30 meter roll

Ordercode: 050-002
Color: Blue
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 24V GREEN

30 meter roll

Ordercode: 050-003
Color: Green
Input: 24V DC
Power: 2,9 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 17cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 1

Rope Light

LED ROPE LIGHT 24V RED

30 meter roll

Ordercode: 050-004
Color: Red
Input: 24V DC
Power: 1,7 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 24V YELLOW

30 meter roll

Ordercode: 050-005
Color: Yellow
Input: 24V DC
Power: 1,7 Watt/meter

Length: 30 meter
Max. length: 30 meter
Diameter: 13mm
Cutting length: 28cm

LED p/meter: 36
Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 230V WHITE

51 meter roll

Ordercode: 055-001
Color: White
Input: 230V
Power: 3,2 Watt/meter
Lumen: 250

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 230V WARM WHITE

51 meter roll

Ordercode: 055-008
Color: Warm White
Input: 230V
Power: 3,2 Watt/meter
Lumen: 200

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 230V BLUE

51 meter roll

Ordercode: 055-002
Color: Blue
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light



LED ROPE LIGHT 230V GREEN

51 meter roll

Ordercode: 055-003
Color: Green
Input: 230V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 150cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED ROPE LIGHT 230V RED

50 meter roll

Ordercode: 055-004
Color: Red
Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 230V YELLOW

50 meter roll

Ordercode: 055-005
Color: Yellow
Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 230V MULTI COLOR

50 meter roll

Ordercode: 055-000
Color: Multi Color
Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT 230V HORIZONTAL WHITE

50 meter roll with horizontal LED structure

Ordercode: 055-101
Color: White
Input: 230V
Power: 2,7 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 30
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light

LED ROPE LIGHT 230V HORIZONTAL WARM WHITE

50 meter roll with horizontal LED structure

Ordercode: 055-108
Color: Warm White
Input: 230V
Power: 2,7 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 30
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

LED ROPE LIGHT **120V** WHITE

51 meter roll

Ordercode: 055-041
Color: White
Input: 120V
Power: 3,2 Watt/meter

Length: 51 meter
Max. length: 51 meter
Diameter: 13mm
Cutting length: 75cm

LED p/meter: 36
Cable type: UK Plug
IP Rate: IP44
Carton Quantity: 1

LED 3 WIRE ROPE LIGHT 230V WHITE

99 meter roll

Ordercode: 060-001
Color: White
Input: 230V
Power: 3,2 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V BLUE

99 meter roll

Ordercode: 060-002
Color: Blue
Input: 230V
Power: 3,2 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light



LED 3 WIRE ROPE LIGHT 230V GREEN

99 meter roll

Ordercode: 060-003
Color: Green
Input: 230V
Power: 3,2 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V RED

99 meter roll

Ordercode: 060-004
Color: Red
Input: 230V
Power: 2,4 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

LED 3 WIRE ROPE LIGHT 230V YELLOW

99 meter roll

Ordercode: 060-005
Color: Yellow
Input: 230V
Power: 2,4 Watt/meter

Length: 99 meter
Max. length: 99 meter
Diameter: 13mm
Cutting length: 300cm

LED p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

9 meter roll

Retail pack

Ordercode: 480-019
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 9 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

45 meter roll

Ordercode: 480-030
Color: Clear
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

LED p/meter: 36
Bulbs type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light Conventional



CONVENTIONAL ROPE LIGHT (BULB) 230V BLUE

45 meter roll

Ordercode: 480-035
Color: Blue
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

CONVENTIONAL ROPE LIGHT (BULB) 230V GREEN

45 meter roll

Ordercode: 480-040
Color: Green
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

CONVENTIONAL ROPE LIGHT (BULB) 230V RED

45 meter roll

Ordercode: 480-045
Color: Red
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

CONVENTIONAL ROPE LIGHT (BULB) 230V YELLOW

45 meter roll

Ordercode: 480-050
Color: Yellow
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

CONVENTIONAL ROPE LIGHT (BULB) 230V MULTI-COLOR

45 meter roll

Ordercode: 480-060
Color: Multi Color
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Rope Light Conventional

CONVENTIONAL ROPE LIGHT (BULB) 230V ORANGE

45 meter roll

Ordercode: 480-055
Color: Orange
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

CONVENTIONAL ROPE LIGHT (BULB) 230V MILKY WHITE

45 meter roll

Ordercode: 480-075
Color: Milky White
Input: 230V
Power: 16,5 Watt/meter

Length: 45 meter
Max. length: 45 meter
Diameter: 13mm
Cutting length: 100cm

Bulbs p/meter: 36
Cable type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 1

Accessories for 13mm Rope Light

PVC CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Ordercode: 485-160

Length: 200cm

Bunch Quantity: 50

PET CHANNEL FOR 13MM ROPE LIGHT - UV RESISTANT

2 meter length

Pet is resistant against UV, chlorine and salt water, and impact resistant.

Ordercode: 485-165

Length: 200cm

Bunch Quantity: 50

ALUMINIUM CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Always keep 4mm space between each 2M channel. Channel will extend when getting warm.

Ordercode: 485-170

Length: 200cm

Bunch Quantity: 25

Accessories for 13mm Rope Light

LED POWER CABLE 13MM OUTDOOR WITH PLUG AND END CAP

for 230V LED Rope Light

Ordercode: 065-005

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50

With UK plug: 065-006
With Swiss plug: 065-007

LED & CONVENTIONAL POWER CABLE 13MM OUTDOOR WITHOUT CONVERTER WITH STRIPPED WIRE AND END CAP

for 12V & 24V LED and conventional Rope Light

Ordercode: 065-010

Length: 150cm

Cable type: Stripped Wire
IP Rate: IP44
Carton Quantity: 50

CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP AND GLUE - RETAIL PACK WITH TOPCARD

for conventional Rope Light 13mm

Ordercode: 485-015

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50

CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP BULK PACKAGING

for conventional Rope Light 13mm

Ordercode: 485-020

Length: 150cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 50

With UK plug: 485-030
With Swiss plug: 485-031

POWER CABLE 13MM OUTDOOR WITH END CAP 5 METER BULK PACKAGING

for conventional Rope Light 13mm

Ordercode: 485-025

Length: 500cm

Plug type: Schuko ungrounded
IP Rate: IP44
Carton Quantity: 30

Accessories for 13mm Rope Light

POWER CABLE 13MM INDOOR WITH END CAP - RETAIL PACK WITH TOPCARD

for conventional Rope Light 13mm

Ordercode: 485-010 **Length:** 150cm **Plug type:** Euro
IP Rate: IP20
Carton Quantity: 60

2 SPLICE CONNECTORS WITH GLUE - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-050 **IP Rate:** IP44
Box Quantity: 50x 2pcs

GLUE BOTTLE - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-055 **Bag Quantity:** 1



CROCODILE CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-060 **Box Quantity:** 50x 25pcs

MOUNTING CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-070 **Box Quantity:** 100x 25pcs

Accessories for 13mm Rope Light

INVISIBLE SPLICE CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-085

Bag Quantity: 100

MALE PIN CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-090

Bag Quantity: 100

END CAP

for conventional and LED Rope Light 13mm

Ordercode: 485-100

Bag Quantity: 100

T CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-105

IP Rate: IP44
Bag Quantity: 1

X CONNECTOR

for conventional and LED Rope Light 13mm

Ordercode: 485-110

IP Rate: IP44
Bag Quantity: 1

Accessories for 13mm Rope Light

HEAT SHRINKABLE TUBE Ø20MM 8CM WITH GLUE 10PCS

for conventional and LED Rope Light 13mm

Ordercode: 485-113
Color: Clear

Box Quantity: 100x 10pcs

HEAT SHRINKABLE TUBE Ø20MM 8CM WITH INSIDE GLUE 10PCS

for conventional and LED Rope Light 13mm

Ordercode: 485-116
Color: Black

Box Quantity: 100x 10pcs

CONTROLLER 2 WIRES 1 CIRCUIT FLASHING

for conventional Rope Light 13mm

Ordercode: 545-005

IP Rate: IP44
Carton Quantity: 1

Accessories for 3 wire Rope Light

LED CONTROLLER 3 WIRES 230 VOLT WITH 8 FUNCTIONS

for 3 wire LED Rope Light 13mm

Ordercode: 214-007

IP Rate: IP44
Carton Quantity: 1

POWER/EXTENSION CABLE 3 METER 2X FEMALE

for 3 wire LED Rope Light 13mm - Can also be used as a power cable between 3 wire ropel. and controller (cut into 2 pieces). Use together with power screw connector 495-010

Ordercode: 495-005

IP Rate: IP44
Carton Quantity: 30

Accessories for 3 wire Rope Light

POWER SCREW CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-010

IP Rate: IP44
Bag Quantity: 1

MALE PIN CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-015

IP Rate: IP44
Bag Quantity: 10

INVISIBLE SPLICE CONNECTOR

for 3 wire LED Rope Light 13mm

Ordercode: 495-020

IP Rate: IP44
Bag Quantity: 10

X CONNECTOR

with glue
for 3 wire LED Rope Light 13mm

Ordercode: 495-035

IP Rate: IP44
Bag Quantity: 1

Rope Light

GENERAL INSTRUCTIONS FOR USING ROPE LIGHT

1. Make sure the power is switched off during installation. Never connect the mains voltage while the light tube is still on the reel; the heat development can cause fire. Never cover the light tube while lit.
2. Check whether the mains voltage of the Rope Light corresponds with the mains voltage of the power supply.
3. For LED Rope Light 230V and low voltage connected to a transformer, always use a power cable with converter, otherwise the LEDs will flicker. For low voltage it is best to use a stabilized DC power supply in which case you don't need a converter.
4. Only cut the Rope Light at the identification mark, otherwise part of the tube will be permanently useless. Make absolutely sure that the mains voltage is not connected. Use a pair of sharp cutting pliers and make sure the edge is smooth and at the right angles.
5. Mains supply cable and connectors.
6. Always seal the end of a (cutted) cable with an end cap, which must be glued on with pvc or silicon glue.
7. **Assembly**
   Assemble the Rope Light in such a way that there is sufficient ventilation and the heat can flow off. Do not assemble on surfaces that can vibrate or rattle violently due to severe wind. Decorations that are spanned over the road or are applied at shopping centers must be allowed some movement with the wind. Assemble the tube face front (the part producing the most light) and only cut the rope light per complete unit and at the identification marks such as shown in the following diagram .
8. **Installation**
   Depending on the specific circumstances different fixing material are available. Use tie-wraps along a steel wire or preshaped frame ; for outdoor usage take the UV-durable quality. An aluminium channel is available for straight lines such as PVC, PET . Crocodile clips and mounting clips can be used for both straight and bent lines. Affixation distance: the recommended distance for clips and bundling straps; horizontal 20 cm and vertical 30 cm. Make sure the Rope Light is not twisted .
9. **Expansion**
   Aluminium channels have a coefficient of expansion , meaning that the difference in length per 2 meter can increase with several millimeters. Make sure to keep about 4mm of space between two channels.
10. **Preheating and use**
    It is important to preheat Rope Light (especially at low outside temperatures) before starting to use the material. You can do this by connecting the required length to the mains supply , allowing the Rope Light to burn for a couple of minutes until it is flexible. Especially when making bends it is very important to preheat the rope . Disconnect the mains supply before starting the assembly. Always unwind Rope Light from the reel, this prevents loops or swaying which could damage the internal wiring.
11. **Bending**
    It is very important to bend Rope Light perpendicular - straight up or down - at the wires. Make absolutely sure to bend rope light in the right direction, up or down, making sure that the two internal wires make the same curve. Avoid at all times that one of the two wires (the inner side one) needs to make a very sharp curve because of wrong bending. Bending rope light incorrectly can cause damage to the internal wiring. Please see drawing below for illustration.



12. Please always read the user manual carefully before installation. A User Manual for Rope Light is supplied with delivery or can be downloaded on our website www.tronixlighting.nl

MODULAR LIGHTING CONNECTION SYSTEM™

ENDLESS POSSIBILITIES TO CREATE YOUR OWN CORD LIGHT, CASCADE LIGHT OR PEAK LIGHT

230

proSYSTEM LED 230V

Compose your own custom-made lighting product and discover what you can do with the unique Modular Lighting Connection System by Tronix.

Just choose your outdoor application, make a product selection from our extensive range of light strings & accessories, and simply link everything together in any desired way to create the lighting effect you all looking for. The results are just all up to your own imagination!



Department store in London, project by Umbrella International Ltd. UK

Modular Lighting Connection System

Now also available in Warm White+

CHOOSE YOUR APPLICATION:



CASCADE LIGHT POSSIBILITIES:



Accessories:
Tronix offers a wide range of accessories like power cables, extension cables, connectors etc.

CORD LIGHT POSSIBILITIES:



PEAK LIGHT POSSIBILITIES:



Modular Lighting Connection System

Cascade Light and Cord Light Strings

Now also available in Warm White+

Connectable Cascade/Cord Light Strings – 10m or 6m



10,0 METER STRING (CONNECTABLE)

Input: 230V
LED Quantity: 100 per string
Length: 10 meter
IP Rate: IP44
Power: 7,5 Watt
No. of strings: 1
Power Cable: not included
Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-151	White	Black
010-158	Warm White	Black
010-159	Warm White+	Black
010-161	White	White
010-168	Warm White	White
010-162	Warm White+	White
010-169	Warm White (90) & Warm White Twinkle (10)	White
010-152	Blue	Black
010-154	Red	Black
010-166	White & Blue	White
010-167	White & Blue	Black
010-165	Warm White	Black

6,0 METER STRING (CONNECTABLE)

Input: 230V
LED Quantity: 60 per string
Length: 6 meter
IP Rate: IP44
Power: 4,8 Watt
No. of strings: 1
Power Cable: not included
Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-211	White	Black
010-218	Warm White	Black
010-232	Warm White+	Black
010-212	Blue	Black
010-213	Green	Black
010-214	Red	Black
010-215	Yellow	Black
010-219	White & Blue	Black
010-221	White	White
010-228	Warm White	White
010-231	Warm White+	White
010-229	White & Blue	White
010-230	Warm White (54) & Warm White Twinkle (6)	White

Non-connectable Cascade/Cord Light String – 3m



3,0 METER STRING (NOT CONNECTABLE)

Input: 230V
LED Quantity: 30 per string
Length: 3 meter
IP Rate: IP44
Power: 2,4 Watt
No. of strings: 1
Power Cable: not included
Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-111	White	Black
010-118	Warm White	Black
010-125	Warm White+	Black
010-121	White	White
010-123	White (27) & White Twinkle (3)	White
010-128	Warm White	White
010-124	Warm White+	White
010-129	Warm White (27) & Warm White Twinkle (3)	White

Non-connectable Cascade Light Strings – in 1,5m and 0,8m

ORDERCODE:	DESCRIPTION	LENGTH	LED QTY	WATT	IP
010-175	0,8m Cascade (end) String 230V, Warm White, White wire	4 strings à 0,8m	8 per string	2,4W	IP44
010-176	0,8m Cascade (end) String 230V, Warm White, Black wire	4 strings à 0,8m	8 per string	2,4W	IP44
010-172	1,5m Cascade (end) String 230V, Warm White, Black wire	2 strings à 1,5m	15 per string	2,4W	IP44
010-171	1,5m Cascade (end) String 230V, Warm White, White wire	2 strings à 1,5m	15 per string	2,4W	IP44



One plug for power, other plug for hang up only (no contact/ power)

Snowfall Strings and Waterfall Strings

Non-Connectable

Snowfall in 0,6m, 0,9m and 1,2m
Waterfall in 3m and 5m



SNOWFALL STRING (NOT CONNECTABLE)

Input: 230V
LED Color: White
Wire Color: White
IP Rate: IP44
No. of strings: 2
Power Cable: not included
Carton Quantity: 1

ORDERCODE:	LENGTH:	LED QTY:	POWER:
010-180	60cm	60	3,9 Watt
010-181	90cm	90	5,8 Watt
010-182	120cm	120	9,6 Watt

WATERFALL STRING (NOT CONNECTABLE)

Input: 230V
LED Color: White
Wire Color: Transparent
IP Rate: IP44
Power Cable: not included
Carton Quantity: 1

ORDERCODE:	LENGTH:	LED QTY:	POWER:	NO. STRINGS:
010-190	3m	60	3,9 Watt	2
010-191	5m	100	7,7 Watt	1

Peak Light

Now also available in Warm White+

Connectable Strings 2m x 0,4m and 2m x 0,8m



Total 20 Strings - 76 LED

PEAK LIGHT 2 METER X 0,4 METER (CONNECTABLE)

Input: 230V
LED Quantity: 76 per set
Length: 2 m x 0,4 m
IP Rate: IP44
Power: 6 Watt
No. of strings: 20
Power Cable: not included
Carton Quantity: 5

ORDERCODE:	LED COLOR:	WIRE COLOR:
006-008	Warm White	Black
006-020	Warm White+	Black
006-018	Warm White	White
006-019	Warm White+	White
006-140	White	White
006-028	White (72) + White Twinkle (4)	White
006-112	White & Blue	White



Total 20 Strings -152 LED

PEAK LIGHT 2 METER X 0,8 METER (CONNECTABLE)

Input: 230V
LED Quantity: 152 per set
Length: 2 m x 0,8 m
IP Rate: IP44
Power: 12 Watt
No. of strings: 20
Power Cable: not included
Carton Quantity: 5

ORDERCODE:	LED COLOR:	WIRE COLOR:
006-048	Warm White	Black
006-052	Warm White+	Black
006-058	Warm White	White
006-051	Warm White+	White
006-041	White & Blue	White
006-132	White (144) + White Twinkle (8)	White

Accessories

POWER CABLES

Input: 230V
Length: 1,5 meter
IP Rate: IP44
Carton Quantity: 5

ORDERCODE:	DESCRIPTION:	WIRE COLOR:
010-012	EU PLUG 2 AMPERE (6.000 LED)	White
010-013	EU PLUG 2 AMPERE (6.000 LED)	Black
010-020	EU PLUG 5 AMPERE (15.000 LED)	White
010-019	EU PLUG 5 AMPERE (15.000 LED)	Black
010-014	UK PLUG 2 AMPERE (6.000 LED)	White
010-015	UK PLUG 2 AMPERE (6.000 LED)	Black
010-016	SWISS PLUG 2 AMPERE (6.000 LED)	White
010-017	SWISS PLUG 2 AMPERE (6.000 LED)	Black

EXTENSION CABLES

IP Rate: IP44
Carton Quantity: 5

ORDERCODE:	LENGTH	WIRE COLOR
010-200	0,5 Meter	White
010-201	0,5 Meter	Black
010-202	1 Meter	White
010-203	1 Meter	Black
010-204	2 Meter	White
010-205	2 Meter	Black
010-206	3 Meter	White
010-207	3 Meter	Black
010-208	5 Meter	White
010-209	5 Meter	Black

CONNECTORS

IP Rate: IP44



ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
-022	T connector 25cm	White	5
-023	T connector 25cm	Black	5
010-005	T connector 2pcs retail pack	White	1
010-004	T connector 2pcs retail pack	Black	1
010-007	5 way connector string 1 meter	White	5
010-006	5 way connector string 1 meter	Black	5
010-188	Ring Connector 5 way	White	5
010-189	Ring Connector 5 way	Black	5

CASCADE MAIN CABLES

IP Rate: IP44

ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-115	Main Cable 5 meter with 5 sockets	Black	5
010-113	Main Cable 60cm with 6 sockets	White	5
010-114	Main Cable 60cm with 6 sockets	Black	5
010-105	Main Cable 120cm with 12 sockets	White	4
010-106	Main Cable 120cm with 12 sockets	Black	4
010-107	Main Cable 240cm with 24 sockets	White	2
010-108	Main Cable 240cm with 24 sockets	Black	2
010-188	Ring Connector 5 way	White	5
010-189	Ring Connector 5 way	Black	5

SPECIAL ACCESSORIES

Input: 230V

ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-197	Ropelight Convertor - to connect 13mm rope-light, 15cm lenght, including shrinking tube.	Black	5
010-109	Cone Light CON string with 10 connector strings, each string 30cm lenght,	Black	5



Ropelight convertor connector



Cone Light connector string

Project with Tronix Lighting MLCS by Der Leso, Austria

Project with Tronix Lighting MLCS by Der Leso, Austria

CORD LIGHT PROFESSIONAL

4 types of LED Cord Light Professional:



1. CORD LIGHT REGULAR

Cord Light Regular with 30mm side branche is available in 12 & 24 Volt. The long length makes it perfect for decorating bigger trees. Available for indoor and outdoor use.



2. CORD LIGHT IN-LINE

Cord Light in-line with 5mm LED is available in 12 & 24 Volt. The in-line LED's are perfect to follow branches. Available for indoor and outdoor use.



3. GARLAND CORD LIGHT

Garland Cord Light with 70mm side branche is available for in- and outdoor applications. The extensive length and long side branches are ideal for decorating (bigger) garlandes. Available for indoor and outdoor use.

4. CLIP LIGHT

Clip Light is perfect for decorating larger trees by following the branches.

** LED Clip Light 24V can be cut every 6 LED.*

Note:

Never wind the wire in this way around the branch, the branch will grow and break the wire. Better lead the wire in line with the branch and use a rubber tie tube to keep the wire in place. Never use tie-wrap, as this will kill the tree.

CORD LIGHT 12 VOLT FOR THE PERFECTIONIST:
Available in 30m and in different colors, led distance in 5 and 10cm. It can be cut every 3 LED's. That's why perfectionists love it.

Cord Light Professional Regular



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDS - INDOOR USE

LEDs on 30mm side branch - indoor use

Green Wire

Ordercode: 020-008
Input: 12 Volt
Power: 18 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 300

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-048
Input: 12 Volt
Power: 18 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 300

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



12V CORD LIGHT 30 METER WITH 300 RED LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-004
Input: 12 Volt
Power: 18 Watt
LED/Bulb Color: Red
LED/Bulb Quantity: 300

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



24V CORD LIGHT 63 METER WITH 420 WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-021
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-018
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cord Light Professional Regular



24V CORD LIGHT 63 METER WITH 420 WARM WHITE+ LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-019
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White+
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



24V CORD LIGHT 63 METER WITH 420 WHITE & BLUE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-112
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: White and Blue
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



24V CORD LIGHT 63 METER WITH 348 WARM WHITE AND 62 TWINKLE WW LEDS - OUTDOOR

LEDs on 30mm side branch - outdoor use

Green Wire

Ordercode: 025-068
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cord Light Professional In-Line

In line



12V CORD LIGHT 30 METER WITH 600 WHITE LED - INDOOR USE

LEDs placed in line - indoor use

Transparant Wire

Ordercode: 020-011
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 30 METER WITH 600 BLUE LED - INDOOR USE

LEDs placed in line - indoor use

Transparant Wire

Ordercode: 020-012
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 WHITE LEDS - INDOOR USE

LEDs placed in line - indoor use

Transparant Wire

Ordercode: 020-001
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 BLUE LEDS - INDOOR USE

LEDs placed in line - indoor use

Transparant Wire

Ordercode: 020-002
Input: 12 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

TREE DECORATED WITH CORD LIGHT PROFESSIONAL IN-LINE OUTDOOR (SEE NEXT PAGE). PERFECT TO FOLLOW BRANCHES.

Cord Light Professional In-Line



24V CORD LIGHT 63 METER WITH 420 WHITE LEDS - OUTDOOR USE

LEDs placed in line - outdoor use

Green Wire

Ordercode: 025-011
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

LEDs placed in line - outdoor use

Green Wire

Ordercode: 025-008
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cord Light Professional Garland Indoor



24V CORD LIGHT 60 METER WITH 600 WHITE LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use

Green Wire

Ordercode: 026-011
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5



24V CORD LIGHT 60 METER WITH 600 BLUE LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use

Green Wire

Ordercode: 026-012
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5



24V CORD LIGHT 60 METER WITH 600 AMBER LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use

Green Wire

Ordercode: 026-016
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Amber
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

Cord Light Professional Garland Outdoor



24V CORD LIGHT 60 METER WITH 600 WHITE LEDS - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-001
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: White
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



24V CORD LIGHT 60 METER WITH 600 BLUE LEDS - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-002
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Blue
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



24V CORD LIGHT 60 METER WITH 600 AMBER LEDS - OUTDOOR USE

LEDs on 70mm side branch - outdoor use

Green Wire

Ordercode: 026-006
Input: 24 Volt
Power: 36 Watt
LED/Bulb Color: Amber
LED/Bulb Quantity: 600

LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cord Light Professional Clip Light



24V LED CLIP LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

Based on Clip Light - outdoor use

Green Wire

Ordercode: 025-108
Input: 24 Volt
Power: 25 Watt
LED/Bulb Color: Warm White
LED/Bulb Quantity: 420

LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5

Cord Light Professional Accessories

DIVIDER 2 WAY, 1 MALE TO 2 FEMALE

5 pieces in bag, price pro 5 pieces

Ordercode: 535-005

IP Rate: IP44
Carton Quantity: 1

DIVIDER 5 WAY, 1 MALE TO 5 FEMALE

2 pieces in bag, price pro 2 pieces

Ordercode: 535-020

IP Rate: IP44
Carton Quantity: 1

EXTENSION CABLE 4 METER, BETWEEN POWER SUPPLY AND DIVIDER

2 pieces in bag, price pro 2 pieces

Ordercode: 535-025

IP Rate: IP44
Carton Quantity: 1

MALE CONNECTOR 4MM RED

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-030

IP Rate: IP44
Carton Quantity: 1

MALE CONNECTOR 4MM BLACK

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-031

IP Rate: IP44
Carton Quantity: 1

Cord Light Professional Accessories

AMP CONNECTOR 2.3MM

to fix max. 4 cordlight together

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-050

IP Rate: IP44
Carton Quantity: 1

AMP CONNECTOR 4.2MM

to fix max. 8 cordlight together

25 pieces in a bag, price pro 25 pieces

Ordercode: 535-051

IP Rate: IP44
Carton Quantity: 1

ELASTIC TIE TUBE 50 METER TO PROTECT THE TREE BRANCHES

Ordercode: 535-090

IP Rate: IP44
Carton Quantity: 1

POWER SUPPLY 12V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-310
Input: 230V
Power: 30 Watt
Lenght: 102mm
Width: 50mm

Height: 27mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10

POWER SUPPLY 12V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-311
Input: 230V
Power: 60 Watt
Lenght: 175mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10

Cord Light Professional Accessories

POWER SUPPLY 12V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-312
Input: 230V
Power: 100 Watt
Lenght: 240mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw and AMP
IP Rate: IP67
Carton Quantity: 10

POWER SUPPLY 12V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-314
Input: 230V
Power: 200 Watt
Lenght: 230mm
Width: 130mm

Height: 60mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: 2 x DC Screw and 2 x AMP
IP Rate: IP67
Carton Quantity: 5

POWER SUPPLY 24V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-300
Input: 230V
Power: 30 Watt
Lenght: 102mm
Width: 50mm

Height: 27mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10

POWER SUPPLY 24V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-301
Input: 230V
Power: 60 Watt
Lenght: 175mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw
IP Rate: IP67
Carton Quantity: 10

POWER SUPPLY 24V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-302
Input: 230V
Power: 100 Watt
Lenght: 240mm
Width: 66mm

Height: 55mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: DC Screw and AMP
IP Rate: IP67
Carton Quantity: 10

Cord Light Professional Accessories

POWER SUPPLY 24V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-304
Input: 230V
Power: 200 Watt
Lenght: 230mm
Width: 130mm

Height: 60mm
Wire Length in: 110cm
Wire Length out: 20cm
Connection Type: 2 x DC Screw and 2 x AMP
IP Rate: IP67
Carton Quantity: 5

Tree at Tronix headquarters, decorated with art. 025-112



TREE LIGHT SET WITH 4 STRINGS OF 7.5 METER - EACH STRING 50 WARM WHITE LEDS

Green Rubber - Extension cable (5m) included

For trees up to 4 Meter high

Ordercode: 024-018
Input: 24V (Transf. Included)
Power: 15,4 Watt
LED Color: Warm White
LED Quantity: 200 LED in total

LED Distance: 15CM
Wire Color: Green
IP Rate: IP44
Carton Quantity: 4

TREE LIGHT SET 10 METER WITH 25 CAPSULES OF 3 LED EACH

Black Rubber - Warm White LED

Connectable up to 10 sets

Ordercode: 024-048
Input: 230V
Power: 9,2 Watt
LED Color: Warm White
LED Quantity: 25 Capsules with 3 LED each

LED Distance: 40CM
Max. to connect: 20 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4

TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - Warm White LED

Connectable up to 10 sets

Ordercode: 024-058
Input: 230V
Power: 31 Watt
LED Color: Warm White
LED Quantity: 50 Capsules with 5 LED each

LED Distance: 25CM
Max. to connect: 10 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4

TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - White LED

Connectable up to 10 sets

Ordercode: 024-068
Input: 230V
Power: 31 Watt
LED Color: White
LED Quantity: 50 Capsules with 5 LED each

LED Distance: 25CM
Max. to connect: 10 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4

TREE LIGHT SET 63 METER ROLL WITH 420 WHITE LED (LP-420 SET)

Green Rubber - White LED

All accesoires included

Ordercode: 024-001
Input: 24V (Transf. Included)
Power: 25 Watt
LED Color: White
LED Quantity: 420 LED

LED Distance: 15CM
Max. to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1

Tree Light 24V & 230V

TREE LIGHT SET 63 METER ROLL WITH 420 WARM WHITE LED (LP-420 SET)

Green Rubber - Warm White LED

All accesoires included

Ordercode: 024-002
Input: 24V (Transf. Included)
Power: 25 Watt
LED Color: Warm White
LED Quantity: 420 LED

LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1

TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WHITE LED (LP-840 SET)

Green Rubber - White LED

All accesoires included

Ordercode: 024-003
Input: 24V (Transf. Included)
Power: 50 Watt
LED Color: White
LED Quantity: 840 LED

LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1

TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WARM WHITE LED (LP-840 SET)

Green Rubber - Warm White LED

All accesoires included

Ordercode: 024-004
Input: 24V (Transf. Included)
Power: 50 Watt
LED Color: Warm White
LED Quantity: 840 LED

LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1

PEAK LIGHT RETAIL SETS
LED & TRADITIONAL



Peak Light offers endless decorating possibilities. It was developed and marketed by Tronix in 2000 and has proved to be a very succesful product worldwide. Peak Light, now also commonly known as icicle light, is available in different models, such as with pvc and rubber cable, for indoor and outdoor use and comes in different colors. The different sets can be interconnected, so the possibilities are numerous.

(LED) Peak Light
in retail box.

Connectable Schuko EU power cable included with each set.

Available in 3 sizes:



ACCESSORIES
See chapter Modular Lighting Connection System on P23 for all available Peak Light accessories.



Total 20 Strings - 76 LED

2M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	**LED Quantity:** 76	**Max. sets to connect:** 30	**IP Rate:** IP44
Power: 6 Watt	**No. of strings:** 20	**Power Cable:** 1,80M (included)	**Carton Quantity:** 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
005-008	**Warm White**	**Black**
005-018	**Warm White**	**White**
005-112	**White & Blue**	**White**



Now also available in Warm White+

Total 40 Strings - 152 LED

4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	**LED Quantity:** 152	**Max. sets to connect:** 20	**IP Rate:** IP44
Power: 12 Watt	**No. of strings:** 40	**Power Cable:** 1,80M (included)	**Carton Quantity:** 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
005-048	**Warm White**	**Black**
005-058	**Warm White**	**White**
005-049	**Warm White+**	**Black**
005-059	**Warm White+**	**White**

Peak Light



Total 20 Strings -152 LED

2M X 80CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	**LED Quantity:** 152	**Max. sets to connect:** 20	**IP Rate:** IP44
Power: 12 Watt	**No. of strings:** 20	**Power Cable:** 1,80M (included)	**Carton Quantity:** 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
005-028	**Warm White**	**Black**
005-038	**Warm White**	**White**
005-122	**White & Blue**	**White**

Peak Light Indoor



Total 20 Strings -152 LED

2M X 80CM **INDOOR** GENERAL SPECIFICATIONS

Input: 230V	**LED Quantity:** 152	**Max. sets to connect:** 20	**IP Rate:** IP20
Power: 12 Watt	**No. of strings:** 20	**Power Cable:** 1,80M (included)	**Carton Quantity:** 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
005-028	**Warm White**	**Black**

Peak Light Conventional



4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V	**Bulb Quantity:** 152	**Max. sets to connect:** 10	**IP Rate:** IP44
Power: 68 Watt	**No. of strings:** 40	**Power Cable:** 1,80M (included)	**Carton Quantity:** 6

ORDERCODE:	BULB COLOR:	WIRE COLOR:
400-021	**Clear**	**Black**

CORD LIGHT RETAIL SETS

(LED) Cord Light in retail box.

Strings available in 6M and 10M length:



Connectable (Schuko EU power cable included with each set).
Different sizes for indoor and outdoor available.

ACCESSORIES

See chapter Modular Lighting Connection System on P23 for all available Cord Light accessories.

Cord Light



Total 60 LED

6M **INDOOR** GENERAL SPECIFICATIONS

Input: 230V
LED Quantity: 60
Max. sets to connect: 20
IP Rate: IP20
Power: 5,3 Watt
LED Spacing: 10cm
Power Cable: 1,50M (included)
Carton Quantity: 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
015-008	Warm White	Green
015-058	Warm White	White
015-001	White	White
015-002	Blue	Green
015-003	Green	Green
015-004	Red	Green
015-005	Yellow	Green



Total 60 LED

6M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V | **LED Quantity:** 60 | **Max. sets to connect:** 20 | **IP Rate:** IP44
Power: 5,3 Watt | **LED Spacing:** 10cm | **Power Cable:** 1,50M (included) | **Carton Quantity:** 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
015-018	Warm White	Green
015-011	White	Green
015-012	Blue	Green
015-013	Green	Green
015-014	Red	Green

Now also available in Warm White+



Total 100 LED

10M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V | **LED Quantity:** 100 | **Max. sets to connect:** 10 | **IP Rate:** IP44
Power: 8 Watt | **LED Spacing:** 10cm | **Power Cable:** 1,50M (included) | **Carton Quantity:** 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
015-021	White	Green
015-028	Warm White	Green
015-023	Warm White +	Green
015-029	White & Blue	White
015-039	White & Blue	Green
015-024	Red	Green

LED CORD LIGHT MODULAR
LOW VOLTAGE CORD LIGHT SET

24DC

FOR OUTDOOR USE

- Easy to use, plug & play system
- Very safe, low voltage 24V
- Connectable at two sides (in and out)
- Create your own light string by choosing length and color

Cord Light Modular 24V Modular

CORDLIGHT 6 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-008
Input: 24 Volt
Power: 4,8 Watt

LED Quantity: 60
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20

CORDLIGHT 6 METER WITH BLUE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-002
Input: 24 Volt
Power: 4,8 Watt

LED Quantity: 60
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20

CORDLIGHT 6 METER WITH GREEN LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-003
Input: 24 Volt
Power: 4,8 Watt

LED Quantity: 60
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20

CORDLIGHT 6 METER WITH RED LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-004
Input: 24 Volt
Power: 3 Watt

LED Quantity: 60
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20

CORDLIGHT 6 METER WITH AMBER LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-005
Input: 24 Volt
Power: 3 Watt

LED Quantity: 60
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20

Cord Light Modular 24V Modular

CORDLIGHT 10 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-018
Input: 24 Volt
Power: 8 Watt

LED Quantity: 100
LED Space: 10CM
IP Rate: IP44
Carton Quantity: 20

EXTENSION CABLE 5 METER

with male and female connector - connectable

Ordercode: 016-050

IP Rate: IP44
Carton Quantity: 50

2 & 4 WAY DIVIDER

with male and female connector - connectable

2-way:
Ordercode: 016-056

4-way:
Ordercode: 016-057

IP Rate: IP44
Carton Quantity: 50



CONE LIGHT CONNECTOR

10 connector strings, each string 30cm lenght

Ordercode: 016-058

IP Rate: IP44
Carton Quantity: 20

POWER SUPPLY 24V

Block Type - Outdoor - Schuko grounded

ORDERCODE:	VOLTAGE:	POWER:
215-300	24V	30W
215-301	24V	60W
215-302	24V	100W

Cascade Light



LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - BLACK WIRE

Connectable

for outdoor use

Ordercode: 010-008
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: Black
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3



LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE+ LED - BLACK WIRE

Connectable

for outdoor use

Ordercode: 010-009
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: Black
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3



LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - WHITE WIRE

Connectable

for outdoor use

Ordercode: 010-018
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3



LED CASCADE LIGHT 2,6 X 1,5 METER WHITE & BLUE LED - WHITE WIRE

Connectable

for outdoor use

Ordercode: 010-112
Input: 230V
Power: 40 Watt
No. of strings: 26
Bulbs p/string: 19

LED Quantity: 494
Max. sets to connect: 10
Wire Color: White
Power Cable: 1,80M (included)
IP Rate: IP44
Carton Quantity: 3

Web Light



LED WEB LIGHT 200 X 150CM WITH WARM WHITE LED AND GREEN PVC WIRE

Connectable

for in- / outdoor use

Ordercode: 033-008
Input: 24V (transformer included)
Power: 17 Watt
LED Quantity: 156

Max. sets to connect: 8
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 8



LED WEB LIGHT 219 X 60CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable

for in- / outdoor use

Ordercode: 033-018
Input: 230V
Power: 18 Watt
LED Quantity: 176

Max. sets to connect: 20
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 4



LED WEB LIGHT 250 X 120CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable

for in- / outdoor use

Ordercode: 033-028
Input: 230V
Power: 40 Watt
LED Quantity: 406

Max. sets to connect: 12
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 4



LED WEB LIGHT 400 X 200CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable

for in- / outdoor use

Ordercode: 033-038
Input: 230V
Power: 65 Watt
LED Quantity: 648

Max. sets to connect: 8
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 2



LED WEB LIGHT 300 X 300CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable

for in- / outdoor use

Ordercode: 033-048
Input: 230V
Power: 75 Watt
LED Quantity: 750

Max. sets to connect: 6
Power Cable: 1,80 Meter (included)
IP Rate: IP44
Carton Quantity: 1

Web Light Conventional



WEB LIGHT 35 X 270 X 180CM WITH CLEAR BULBS AND CONTROLLER WITH 8 PROG.

Connectable

for indoor use

Ordercode: 420-031
Input: 230V
Power: 181 Watt
Bulb Quantity: 288

Power Cable: 1,80 Meter (included)
IP Rate: IP20
Carton Quantity: 1

Round Net Light



ROUND NET LIGHT Ø40~50CM - 24V

for buxus of Ø40~50cm

24V Adaptor included

Ordercode: 017-001
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Color: Warm White

LED Quantity: 48
Power Cable / Adapter: Included
IP Rate: IP44
Carton Quantity: 10



ROUND NET LIGHT Ø60~75CM - 24V

for buxus of Ø60~75cm

24V Adaptor included

Ordercode: 017-003
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Color: Warm White

LED Quantity: 48
Power Cable / Adapter: Included
IP Rate: IP44
Carton Quantity: 10

Snow Bar Light



SNOWBAR SET 5 X 50CM TUBE

50 SMD LED pro tube - fixed program

Adaptor included

Ordercode: 019-002
Input: 230V (adaptor included)
Power: 10,5 Watt
LED Quantity: 50 p/tube
LED Color: White

No. of Tubes: 5
Power Cable: 5 meter
IP Rate: IP44
Carton Quantity: 4

It is possible to connect several Snow Bar or Cluster sets, but you then need a bigger 12V power supply.



SMALL COMET 85 X 45CM WITH WARM WHITE LED

Steel frame

Ordercode: 570-010
Input: 230V
Color: Warm White LED
Dimension: 85 x 45cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

5 POINT STAR 53CM WITH WHITE LED

Steel frame

Ordercode: 570-011
Input: 230V
Color: White LED
Dimension: 53cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

5 POINT STAR 80CM WITH WHITE LED

Steel frame

Ordercode: 570-016
Input: 230V
Color: White LED
Dimension: 80cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

SNOWFLAKE 37CM WITH WHITE LED

Steel frame

Ordercode: 570-021
Input: 230V
Color: White LED

Dimension: 37cm
Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

SNOWFLAKE 53CM WITH WHITE LED

Steel frame

Ordercode: 570-026
Input: 230V
Color: White LED
Dimension: 53cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

SNOWFLAKE 53CM WITH BLUE LED

Steel frame

Ordercode: 570-027
Input: 230V
Color: Blue LED
Dimension: 53cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

SNOWFLAKE 66CM WITH WHITE LED

Steel frame

Ordercode: 570-031
Input: 230V
Color: White LED
Dimension: 66cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

Professional Motifs With Aluminium Frame

BIG COMET 140 X 105CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-006
Input: 230V
Color: Warm White LED
Dimension: 140 x 105cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

5 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-011
Input: 230V
Color: Warm White LED
Dimension: 80cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5



8 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-016
Input: 230V
Color: Warm White LED
Dimension: 80cm

Power Cable: 1,50 Meter (included)
IP Rate: IP44
Carton Quantity: 5

LED CHASY LIGHT OFFERS THE FOLLOWING PROGRAMS:

1. Combination
2. In Waves
3. Sequential
4. Slow Glow
5. Chasing/Flash
6. Slow fade
7. Twinkle/Flash
8. Steady On



LED CHASY LIGHT 5 METER WHITE TRANSPARANT WIRE

For indoor use

Ordercode: 030-001
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10



LED CHASY LIGHT 5 METER BLUE TRANSPARANT WIRE

For indoor use

Ordercode: 030-002
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10



LED CHASY LIGHT 5 METER GREEN TRANSPARANT WIRE

For indoor use

Ordercode: 030-003
Input: 24V (adaptor included)
Power: 9,6 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10



LED CHASY LIGHT 5 METER RED TRANSPARANT WIRE

For indoor use

Ordercode: 030-004
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10

Chasy Light



LED CHASY LIGHT 5 METER YELLOW TRANSPARANT WIRE

For indoor use

Ordercode: 030-005
Input: 24V (adaptor included)
Power: 4,8 Watt
LED Quantity: 120

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10



LED CHASY LIGHT 10 METER WHITE BLACK WIRE

For outdoor use

Ordercode: 030-011
Input: 230V
Power: 8,5 Watt
LED Quantity: 100

No. of programs: 8
Power Cable / Adaptor: Included
IP Rate: IP44
Carton Quantity: 10

Cluster Light



LED CLUSTER LIGHT CHAIN 1,5 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory

for indoor/outdoor use

Ordercode: 019-100
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 192
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16



LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

No controller, steady string

for indoor/outdoor use

Ordercode: 019-106
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16



LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory

for indoor/outdoor use

Ordercode: 019-101
Input: 24V (adaptor included)
Power: 5 Watt
Color: Warm White

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16



LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, PINK LED

Incl. 8 function controller with memory

for indoor/outdoor use

Ordercode: 019-105
Input: 24V (adaptor included)
Power: 5 Watt
Color: Pink

LED Quantity: 288
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 16

Basic Line Conventional

230 VOLT WITH REPLACEABLE PICELLO BULBS POPULAR INDOOR CHRISTMAS TREE DECORATION

TRADITIONAL LIGHT CHAIN 2,85 METER WITH 10 CLEAR BULBS

with green wire

for indoor use

Ordercode: 750-001
Input: 230V
Power: 11,5 Watt
Color: Clear

Bulb Quantity: 10
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 100

TRADITIONAL LIGHT CHAIN 4,35 METER WITH 20 CLEAR BULBS

with green wire

for indoor use

Ordercode: 750-003
Input: 230V
Power: 20 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 60

TRADITIONAL LIGHT CHAIN 8,85 METER WITH 50 CLEAR BULBS

with green wire

for indoor use

Ordercode: 750-008
Input: 230V
Power: 30 Watt
Color: Clear

Bulb Quantity: 50
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 40

TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 CLEAR BULBS

with green wire

for indoor use

Ordercode: 750-011
Input: 230V
Power: 32 Watt
Color: Clear

Bulb Quantity: 100
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 20

TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 MULTI COLOR BULBS

with green wire

for indoor use

Ordercode: 750-013
Input: 230V
Power: 32 Watt
Color: Clear

Bulb Quantity: 100
Bulb Space: 15cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 20

Basic Line Conventional

TRADITIONAL LIGHT CHAIN 16,85 METER WITH 80 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire

for outdoor use

Ordercode: 753-002
Input: 24V (adaptor included)
Power: 10,8 Watt
Color: Clear

Bulb Quantity: 80
Bulb Space: 15cm
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 12

TRADITIONAL LIGHT CHAIN 22,85 METER WITH 120 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire

for outdoor use

Ordercode: 753-003
Input: 24V (adaptor included)
Power: 11,8 Watt
Color: Clear

Bulb Quantity: 120
Bulb Space: 15cm
Power Cable: 5 Meter
IP Rate: IP44
Carton Quantity: 12

CANDLE LIGHT CHAIN 7,2 METER WITH 20 CLEAR BULBS

with 20 clear bulbs

for indoor use

Ordercode: 754-001
Input: 230V
Power: 60 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 30cm
Power Cable: 1,50 Meter
IP Rate: IP20
Carton Quantity: 12

CANDLE LIGHT CHAIN 5,3 METER WITH 20 CLEAR BULBS

with 20 clear bulbs

for outdoor use

Ordercode: 754-002
Input: 230V
Power: 60 Watt
Color: Clear

Bulb Quantity: 20
Bulb Space: 20cm
Power Cable: 1,50 Meter
IP Rate: IP44
Carton Quantity: 12

5 SPARE BULB FOR MINI LIGHT 10PCS

Ordercode: 765-007

Carton Quantity: 400

Basic Line Spare Bulbs

5 SPARE BULB FOR MINI LIGHT 20PCS

Ordercode: 765-006 **Carton Quantity:** 400

5 SPARE BULB FOR MINI LIGHT 35PCS

Ordercode: 765-005 **Carton Quantity:** 400

5 SPARE BULB FOR MINI LIGHT 50PCS

Ordercode: 765-004 **Carton Quantity:** 400

5 SPARE BULB FOR MINI LIGHT 80PCS

Ordercode: 765-002 **Carton Quantity:** 400

5 SPARE BULB FOR MINI LIGHT 100PCS

Ordercode: 765-001 **Carton Quantity:** 400

Basic Line Spare Bulbs

5 SPARE BULB FOR WEB LIGHT 160PCS

Ordercode: 765-003 **Carton Quantity:** 400

3 SPARE BULB FOR CANDLE LIGHT 20PCS INDOOR

Ordercode: 765-008 **Carton Quantity:** 400

3 SPARE BULB FOR CANDLE LIGHT 20PCS OUTDOOR

Ordercode: 765-011 **Carton Quantity:** 400



LED CORD LIGHT 15 METER WARM WHITE-GREEN WIRE

Connectable

for indoor use

Ordercode: 015-048
Input: 230V
Power: 15 Watt
LED Quantity: 150

LED spacing: 10cm
Max. sets to connect: n.a.
Power Cable: 1,5M (included)
IP Rate: IP44
Carton Quantity: 10

LED CORD LIGHT 15 METER WARM WHITE IS A PERFECT SET FOR DECORATING A LARGE(R) CHRISTMAS TREE IN HOUSE WITH WARM WHITE LED. EXTRA SAFE WITH LOW VOLTAGE (24 VOLT TRANSFORMER INCLUDED).

Candle Lights

As Tronix, we may say we are experts in the electronic candle light business. We have been at the very base of developing and producing these amazing products and have already sold millions of them. We basically sell two kinds: a small led candle with the size of a waxine light that operates over 12 hours after one night charging, and a large one operating for more than 24 hours after the same amount of charging time.

For home use, the small one is most popular, because this one fits in any regular or decorative glass also used for traditional waxine lights. Professional users like e.g. hotels and restaurants generally prefer the larger model.

The candles are also very suitable for children who can safely use them as a night light.
The flickering of the candle light also helps them to fall asleep more easily.

CANDLE RETAIL SET WITH 6 SMALL CANDLES

pvc glass included (117*52*49mm)

Charger base and adaptor included

Ordercode: 700-002
Flame color: Warm White
Operation time: 12 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

CANDLE RETAIL SET WITH 6 SMALL CANDLES RED

pvc glasses included (117*52*49mm)

Charger base and adaptor included

Ordercode: 700-032
Flame color: Red
Operation time: 12 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

CANDLE RETAIL SET WITH 12 SMALL CANDLES

real glass included (70*55*51mm)

Charger base and adaptor included

Ordercode: 700-033
Flame color: Warm White
Operation time: 12 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

CANDLE PROFI SET WITH 12 LARGE CANDLE

no glass included

Charger base and adaptor included

Ordercode: 700-003
Flame color: Warm White
Operation time: 24 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

SMALL CANDLE 6PCS IN WHITE BOX

Ordercode: 700-009
Flame color: Warm White
Operation time: 12 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

SMALL CANDLE RED 6PCS IN WHITE BOX

Ordercode: 700-010
Flame color: Red
Operation time: 12 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

LARGE CANDLE 6PCS IN WHITE BOX

Ordercode: 700-020
Flame color: Warm White
Operation time: 24 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

LARGE CANDLE BLUE 6PCS IN WHITE BOX

Ordercode: 700-021
Flame color: Blue
Operation time: 16 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

LARGE CANDLE RED 6PCS IN WHITE BOX

Ordercode: 700-022
Flame color: Red
Operation time: 24 hours
Charging time: 10 hours
IP rate: IP20
Carton Quantity: 1

CHARGER BASE FOR 6 SMALL CANDLE

Ordercode: 700-011

IP rate: IP20
Carton Quantity: 1

CHARGER BASE FOR 12 LARGE CANDLE

Ordercode: 700-012

IP rate: IP20
Carton Quantity: 1

ADAPTOR FOR CHARGER BASE 6

Ordercode: 700-013

IP rate: IP20
Carton Quantity: 1

ADAPTOR FOR CHARGER BASE 12

Ordercode: 700-031

IP rate: IP20
Carton Quantity: 1

REAL GLASS TEA LIGHT 6 PCS FROSTED

Size 70*55*51mm

Ordercode: 700-018

IP rate: IP20
Carton Quantity: 1

REAL GLASS 3 PCS FROSTED

Size 120*55*50 mm

Ordercode: 700-019

IP rate: IP20
Carton Quantity: 1

GLASS PVC 6 PCS MILKY WHITE

Size 117*52*49mm

Ordercode: 700-015
6

IP rate: IP20
Carton Quantity: 1

GLASS PVC 6 PCS ORANGE

Size 117*52*49mm

Ordercode: 700-017

IP rate: IP20
Carton Quantity: 1

Flower Lights

LED FLOWER LIGHT 10 STRINGS BLUE

for indoor use

Ordercode: 035-002
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Blue

No. of Strings: 10
String Length: 50 cm
IP Rate: IP20
Carton Quantity: 100

LED FLOWER LIGHT 10 STRINGS RED

for indoor use

Ordercode: 035-004
Input: Battery (2 x AA - not included)
Burning hours: 200 hours
Color: Red

No. of Strings: 10
String Length: 51 cm
IP Rate: IP20
Carton Quantity: 100

LED FLOWER LIGHT 10 STRINGS YELLOW

for indoor use

Ordercode: 035-005
Input: Battery (2 x AA - not included)
Burning hours: 200 hours
Color: Yellow

No. of Strings: 10
String Length: 52 cm
IP Rate: IP20
Carton Quantity: 100

LED FLOWER LIGHT 20 STRINGS WARM WHITE

for indoor use

Ordercode: 035-008
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Warm White

No. of Strings: 20
String Length: 25-35 cm
IP Rate: IP20
Carton Quantity: 100

LED FLOWER LIGHT 20 STRINGS GREEN

for indoor use

Ordercode: 035-013
Input: Battery (3 x AA - not included)
Burning hours: 200 hours
Color: Green

No. of Strings: 20
String Length: 25-35 cm
IP Rate: IP20
Carton Quantity: 100

LED Flower Lights

LED FLOWER LIGHT 20 STRINGS YELLOW

for indoor use

Ordercode: 035-015
Input: Battery (2 x AA - not included)
Burning hours: 200 hours
Color: Yellow

No. of Strings: 20
String Length: 25-35 cm
IP Rate: IP20
Carton Quantity: 100

Flat Cable & Belt Light

LED PARTY SET | 24 VOLT | 12,5 METER | 20 COLORED LED LAMPS

20 color LED lamps included, 3 meter lead wire, suitable for outdoor use.
4x Blue, 4x White, 4x Yellow, 4x Red, 4x Green

Ordercode: 435-016
Power: 7,8 Watt
LED Lamps: 20
LED's per bulb: 5
Cable: 12,5m
IP Rate: IP44
Diameter: Ø 50 mm

BELT LIGHT PROFI SET 20 METER WITH 20 MOULDED SOCKETS

Round rubber cable
Professional set (high quality mounted sockets) to decorate big trees
Because of the high quality of this Belt Light set, this set is the perfect solution to decorate big trees on public places like city centre squares, standing there for many years.

Ordercode: 585-038
Length: 20 meter
Cable size: 2x1.5mm
IP Rate: IP44
Carton Quantity: 4

FLAT CABLE 10 METER INCLUDING 10 SOCKETS E27

Including plug and end cap
Max. to connect 100 meter / Max. load 1.500 Watt

Ordercode: 585-036
Length: 10 meter
Cable size: 2x1.5mm
IP Rate: IP44
Carton Quantity: 5

Flat Cable & Belt Light

FLAT CABLE 20 METER INCLUDING 19 SOCKETS E27

Including plug and end cap

Ordercode: 585-037
Length: 20 meter

Cable size: 2x1.5mm
IP Rate: IP44

Carton Quantity: 5

FLAT CABLE 100 METER INCLUDING 100 SOCKETS E27

Including plug and end cap

Ordercode: 585-023
Length: 100 meter

Cable size: 2x1.5mm
IP Rate: IP44

Carton Quantity: 1

FLAT CABLE 25 METER

Including plug and end cap

Ordercode: 585-020
Length: 25 meter

Cable size: 2x1.5mm
IP Rate: IP44

Carton Quantity: 4

FLAT CABLE 100 METER

Including plug and end cap

Ordercode: 585-006
Length: 100 meter

Cable size: 2x1.5mm
IP Rate: IP44

Carton Quantity: 1

FLAT CABLE LAMP HOLDER E27

20 or 100 pieces holder and rubber rings

Ordercode: 585-025
Ordercode: 585-026

Carton Quantity: 1 or 5

Flat Cable & Belt Light

FLAT CABLE LAMP HOLDER E27 WITH MOUTING HOLES

20 pieces holder and rubber rings

Ordercode: 585-028
IP Rate: IP44

Carton Quantity: 5

TRADITIONAL FLAME LIGHT 10 PCS E14 230V

Ordercode: 440-015
Color: Flame
Power: 230V

Wire length: 5,3m
Bulbs p/meter: 2
IP Rate: IP44

Traditional Lamps (for Belt Light)

FOR OUR COMPLETE RANGE OF (LED) LAMPS,
PLEASE CHECK OUR COMMERCIAL LIGHTING CATALOGUE

P45 CLEAR - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-071
Color: Clear
Power: 15 Watt
Beam: 190°
Length: 71 mm

Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40

P45 BLUE - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-072
Color: Blue
Power: 15 Watt
Beam: 190°
Length: 71 mm

Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40

P45 GREEN - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-073
Color: Green
Power: 15 Watt
Beam: 190°
Length: 71 mm

Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40

P45 RED - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-074
Color: Red
Power: 15 Watt
Beam: 190°
Length: 71 mm

Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40

P45 YELLOW - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-075
Color: Yellow
Power: 15 Watt
Beam: 190°
Length: 71 mm

Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40

LED Lamps (for Belt Light)

P45 2 WATT CLEAR

With E-27 socket

With high power factor >0,85

Ordercode: 165-010
Color: Warm White
Color Temperature: 2700K
Lumen: 255
Power: 2 Watt
Beam: 190°
LED Quantity: 30pcs x SMD

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

P45 1 WATT CLEAR

With E-27 socket

Ordercode: 165-000
Color: Warm White
Color Temperature: 2700K
Lumen: 51
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

P45 2 WATT CLEAR

With E-27 socket

Ordercode: 165-009
Color: Warm White
Color Temperature: 2700K
Lumen: 85
Power: 1,7 Watt
Beam: 190°
LED Quantity: 10

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

P45 1 WATT WHITE

With E-27 socket

Ordercode: 165-001
Color: White
Color Temperature: 6000K
Lumen: 62
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

P45 1 WATT BLUE

With E-27 socket

Ordercode: 165-002
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

LED Lamps (for Belt Light)

P45 1 WATT GREEN

With E-27 socket

Ordercode: 165-003
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P45 1 WATT RED

With E-27 socket

Ordercode: 165-004
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P45 1 WATT YELLOW

With E-27 socket

Ordercode: 165-005
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P45 1 WATT WARM WHITE

With E-27 socket

Ordercode: 165-008
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 20

P45 1 WATT CLEAR

With B-22 socket

Ordercode: 165-020
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

LED Lamps (for Belt Light)

P45 1 WATT WHITE

With B-22 socket

Ordercode: 165-021
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P45 1 WATT BLUE

With B-22 socket

Ordercode: 165-022
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P45 1 WATT GREEN

With B-22 socket

Ordercode: 165-023
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P45 1 WATT RED

With B-22 socket

Ordercode: 165-024
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P45 1 WATT YELLOW

With B-22 socket

Ordercode: 165-025
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P45 1 WATT WARM WHITE

With B-22 socket

Ordercode: 165-028
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6

Length: 72 mm
Diameter: 45 mm
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 10

P50 1 WATT WHITE - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode: 165-011
Color: White
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

P50 1 WATT BLUE - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode: 165-012
Color: Blue
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

P50 1 WATT GREEN - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode: 165-013
Color: Green
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

P50 1 WATT RED - HEAVY DUTY

With E-27 socket
acrylate cover

Ordercode: 165-014
Color: Red
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

LED Lamps (for Belt Light)

P50 1 WATT YELLOW - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-015
Color: Yellow
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

P50 1 WATT WARM WHITE - HEAVY DUTY

With E-27 socket

acrylate cover

Ordercode: 165-018
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 10

Length: 83 mm
Diameter: 50 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

A60 1 WATT RGB - 7 COLOUR CHANGING

Fixed color changing program

Ordercode: 180-009
Color: RGB
Power: 1 Watt
Beam: 120°
LED Quantity: 12

Length: 104 mm
Diameter: 60 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100

Star Cone LED Tree

Also available in more heights from 6 up to 11 meters

STAR CONE LED TREE 3M

Standard green covering with steady blue & flashing white LED's. Built up in 1M segments.

Ordercode: 580-070
Power: 153 Watt
Height: 3M
Floor: Ø 105 cm

Rope Light White: 45M
LED Steady Blue: 170
LED Flash White: 30
LED'S Total: 1820

STAR CONE LED TREE 4M

Standard green covering with steady blue & flashing white LED's. Built up in 1M segments.

Ordercode: 580-071
Power: 256 Watt
Height: 4M
Floor: Ø 140 cm

Rope Light White: 76M
LED Steady Blue: 272
LED Flash White: 48
LED'S Total: 3056

STAR CONE LED TREE 5M

Standard green covering with steady blue & flashing white LED's. Built up in 1M segments.

Ordercode: 580-072
Power: 396 Watt
Height: 5M
Floor: Ø 175 cm

Rope Light White: 117M
LED Steady Blue: 425
LED Flash White: 75
LED'S Total: 4712

The advantages of LED Decorative Christmas Lights

In the past, Christmas lights were incandescent bulbs encased in painted glass. They were large, burned hot, broke easily and flaked with age. Often when one bulb was broken, the entire string failed to light. Today's Christmas lights use LED-light emitting diodes-light bulbs. There are many benefits to using LED bulbs as opposed to incandescent bulbs.

LOWER COST

LED Christmas lights demand far less electricity to operate than their incandescent counterparts---they cost almost 90% less to operate.

EASIER STORAGE

Due to the durability of LED Christmas lights, they are very easy to wrap up and store for later use. Worries of bulb breakage are no longer a concern. The bulbs withstand abuse and moisture without deleterious effects.

VARIETY

LED Christmas lights are available in various sizes and styles. The miniature size of LED's has opened the door to a much higher variety of colors – including beautiful, warm white – and many new applications such as cluster lighting and animation effects like twinkling, snowfall or waterfall, adding up to the amazing lighting results of our Modular Lighting Connection System.

SAFETY

LED lights do not heat up. They are far safer and don't cause fires.The older incandescent bulbs gave off most of their energy in the form of heat. This meant a higher risk of fire during the Christmas season.

LONGEVITY

Because LED lights do not burn hot, they last an extremely long time. Also, because they do not contain delicate filaments, LED lights can withstand light impact without breaking. When they are properly taken care of, LED Christmas lights will last for years.

WEATHERPROOF

LED Christmas lights function just as well outdoors as they do indoors. They are constructed in such a way that they are impervious to moisture, heat and cold.

BRIGHTER

LED Christmas lights are brighter than lights of the past. In addition, the brightness of these lights does not fade that much over time.

Tronix showroom decorative Christmas Lighting in Uden, The Netherlands

The advantages of LED Decorative Christmas Lights

Tronix showroom decorative Christmas Lighting in Uden, The Netherlands

Tronix Lighting BV
Vluchtoord 41
5406 XP Uden
The Netherlands

Postbus 205
5400 AE Uden
The Netherlands

Tel. 0031 (0) 413 330380
Fax 0031 (0) 413 330385
www.tronixlighting.com